

Response dated February 28, 2006
Reply to Office action of November 29, 2005

Serial No. 09/809,759
Docket No. ROC920000170US1
Firm No. 0021.0013

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Previously presented) A computer implemented method for verifying a network address, comprising:
 - accessing a network address included within a file;
 - providing at least one context term;
 - accessing content at the accessed network address;
 - determining whether the accessed content satisfies a qualifying threshold with respect to the at least one context term;
 - providing a substitute network address if the accessed content did not satisfy the qualifying threshold;
 - receiving user selection of a provided substitute network address; and
 - in response to said user selection, substituting within the file the user selected substitute network address for the accessed network address.
2. (Original) The method of claim 1, wherein providing the at least one context term comprises:
 - locating context terms in the file within a predetermined vicinity of the network address location in the file.
3. (canceled)
4. (Original) The method of claim 1, wherein providing the context term comprises receiving user entered context terms.
5. (canceled)
6. (canceled)

Response dated February 28, 2006
Reply to Office action of November 29, 2005

Serial No. 09/809,759
Docket No. ROC920000170US1
Firm No. 0021.0013

7. (Original) The method of claim 1, wherein determining whether the accessed content satisfies the qualifying threshold comprises:

determining whether the accessed content includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed content includes at least the preset number of instances of context terms.

8. (Original) The method of claim 1, wherein determining whether the accessed content satisfies the qualifying threshold comprises:

accessing metadata associated with the accessed content, wherein the metadata describes attributes of the content; and

determining whether the accessed metadata includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed metadata includes at least the preset number of instances of context terms.

9. (Previously presented) The method of claim 1, wherein at least one of the context terms comprises a negative context term and wherein determining whether the accessed content satisfies the qualifying threshold further comprises:

determining whether the accessed content includes a preset number of instances of the negative context terms, wherein the qualifying threshold is not satisfied if the accessed content includes at least the preset number of instances of context terms.

10. (canceled)

11. (Previously presented) The method of claim 1, wherein the network address is comprised of a string, and wherein the substitute network address providing includes performing:

determining at least one variation of the string, wherein a determined variation of the string is capable of comprising a network address at which content is located;

for each determined string variation, performing:

(i) submitting a request to access content at the network address comprising the string variation; and

Response dated February 28, 2006
Reply to Office action of November 29, 2005

Serial No. 09/809,759
Docket No. ROC920000170US1
Firm No. 0021.0013

(ii) if content is accessed in response to the submitted request, then determining whether the accessed content at the network address comprising the string variation satisfies the qualifying threshold with respect to the at least one context term.

12. (canceled)

13. (Previously presented) The method of claim 11, wherein if the content accessed from the network address comprising the string variation satisfies the qualifying threshold, then adding the network address comprising the string variation to a list of network addresses and wherein the receiving user selection includes:

receiving user selection of one of the network addresses on the list to substitute for the network address in the file addressing content that did not satisfy the qualifying threshold.

14. (canceled)

15. (canceled)

16. (canceled)

17. (canceled)

18. (canceled)

19. (Previously presented) A system for verifying a network address, comprising:
a computer readable medium;
a file stored in the computer readable medium, wherein the file includes at least one network address;

means for accessing one network address included within a file;

means for providing at least one context term;

means for accessing content at the accessed network address;

means for determining whether the accessed content satisfies a qualifying threshold with respect to the at least one context term;

Response dated February 28, 2006
Reply to Office action of November 29, 2005

Serial No. 09/809,759
Docket No. ROC920000170US1
Firm No. 0021.0013

means for providing a substitute network address if the accessed content did not satisfy the qualifying threshold;

means for receiving user selection of a provided substitute network address
and

means for, in response to said user selection, substituting within the file the user selected substitute network address for the accessed network address.

20. (Original) The system of claim 19, wherein the means for providing the at least one context term performs:

locating context terms in the file within a predetermined vicinity of the network address location in the file.

21. (canceled)

22. (canceled)

23. (canceled)

24. (canceled)

25. (Original) The system of claim 19, wherein the means for determining whether the accessed content satisfies the qualifying threshold performs:

determining whether the accessed content includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed content includes at least the preset number of instances of context terms.

26. (Original) The system of claim 19, wherein the means for determining whether the accessed content satisfies the qualifying threshold performs:

accessing metadata associated with the accessed content, wherein the metadata describes attributes of the content; and

Response dated February 28, 2006
Reply to Office action of November 29, 2005

Serial No. 09/809,759
Docket No. ROC920000170US1
Firm No. 0021.0013

determining whether the accessed metadata includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed metadata includes at least the preset number of instances of context terms.

27. (Previously presented) The system of claim 19, wherein at least one of the context terms comprises a negative context term and wherein the means for determining whether the accessed content satisfies the qualifying threshold further performs:

determining whether the accessed content includes a preset number of instances of the negative context terms, wherein the qualifying threshold is not satisfied if the accessed content includes at least the preset number of instances of context terms.

28. (Original) The system of claim 19, further comprising:

means for searching for additional network addresses in the file to determine if the additional network addresses satisfy the qualifying threshold if the accessed content satisfies the qualifying threshold.

29. (Previously presented) The system of claim 19, wherein the network address is comprised of a string, and wherein the substitute network address providing means includes:

means for determining at least one variation of the string if the accessed content does not satisfy the qualifying threshold, wherein a determined variation of the string is capable of comprising a network address at which content is located; and

means for, for each determined string variation, performing:

(i) submitting a request to access content at the network address comprising the string variation; and

(ii) if content is accessed in response to the submitted request, then determining whether the accessed content at the network address comprising the string variation satisfies the qualifying threshold with respect to the at least one context term.

30. (canceled)

Response dated February 28, 2006
Reply to Office action of November 29, 2005

Serial No. 09/809,759
Docket No. ROC920000170US1
Firm No. 0021.0013

31. (Previously presented) The system of claim 29, further comprising means for adding the network address comprising the string variation to a list of network addresses if the content accessed from the network address comprising the string variation satisfies the qualifying threshold and wherein the receiving user selection means includes:

means for receiving user selection of one of the network addresses on the list to substitute for the network address in the file addressing content that did not satisfy the qualifying threshold.

32. (canceled)

33. (canceled)

34. (canceled)

35. (canceled)

36. (canceled)

37. (Previously presented) An article of manufacture including code for use in verifying a network address by:

accessing a network address included within a file;

providing at least one context term;

accessing content at the accessed network address;

determining whether the accessed content satisfies a qualifying threshold with respect to the at least one context term;

providing a substitute network address if the accessed content did not satisfy the qualifying threshold;

receiving user selection of a provided substitute network address; and

in response to said user selection, substituting within the file the user selected substitute network address for the accessed network address.

38. (canceled)

Response dated February 28, 2006
Reply to Office action of November 29, 2005

Serial No. 09/809,759
Docket No. ROC920000170US1
Firm No. 0021.0013

39. (canceled)

40. (canceled)

41. (canceled)

42. (canceled)

43. (Original) The article of manufacture of claim 37, wherein determining whether the accessed content satisfies the qualifying threshold comprises:

determining whether the accessed content includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed content includes at least the preset number of instances of context terms.

44. (Previously presented) The article of manufacture of claim 37, wherein determining whether the accessed content satisfies the qualifying threshold comprises:

accessing metadata associated with the accessed content, wherein the metadata describes attributes of the content; and

determining whether the accessed metadata includes a preset number of instances of the context terms, wherein the qualifying threshold is satisfied if the accessed metadata includes at least the preset number of instances of context terms; and

wherein at least one of the context terms comprises a negative context term and wherein determining whether the accessed content satisfies the qualifying threshold further comprises:

determining whether the accessed content includes a preset number of instances of the negative context terms, wherein the qualifying threshold is not satisfied if the accessed content includes at least the preset number of instances of context terms.

45. (canceled)

46. (canceled)

Response dated February 28, 2006
Reply to Office action of November 29, 2005

Serial No. 09/809,759
Docket No. ROC920000170US1
Firm No. 0021.0013

47. (Previously presented) The article of manufacture of claim 37, wherein the network address is comprised of a string, and wherein the substitute network address providing includes performing:

determining at least one variation of the string, wherein a determined variation of the string is capable of comprising a network address at which content is located;

for each determined string variation, performing:

- (i) submitting a request to access content at the network address comprising the string variation; and
- (ii) if content is accessed in response to the submitted request, then determining whether the accessed content at the network address comprising the string variation satisfies the qualifying threshold with respect to the at least one context term.

Claims 48-54. (canceled)